

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922) 49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Ижевск (3412)26-03-58
Иваново (4932)77-34-06
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Сургут (3462)77-98-35
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольяти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://chaosensor.nt-rt.ru> || crx@nt-rt.ru

Почвенный анализатор NPK ЕС PH Датчик температуры и влажности питательных веществ с портативным портативным терминалом дисплея



SOIL PARAMETER SPEEDOMETER

PH CONDUCTIVITY

TEMPERATURE AND HUMIDITY





SUPPORT
CUSTOMIZATION




COLOR INTERFACE



DATA STORAGE

PARAMETER CONFIGURATION

×



REAL TIME DISPLAY OF PLUG AND PLAY DATA

The sensor can be inserted into the soil for a few seconds to display the measurement results, which is simple, convenient, low cost and fast.



REAL TIME DISPLAY OF PLUG AND PLAY DATA

The sensor can be inserted into the soil for a few seconds to display the measurement results, which is simple, convenient, low cost and fast.




RICH MAN-MACHINE INTERFACE

The full color interface designed based on the new embedded idea can query, record and display the accessed sensor data in real time.



MENU INTERFACE



SYSTEM SETUP



SELECTION STATE




INSTRUCTION EDITOR




ONE-CLICK DATA EXPORT IS CONVENIENT AND FAST

The data can be stored in the computer through the D-type data interface connector (DB9) connected with USB to generate a report.



OPTIONAL NETWORKING SUPPORT CLOUD PLATFORM



APP



SMALL
PROGRAM

Support app / applet

Monitoring, reporting, storage and other one-stop services. Easily build an independent and exclusive online cloud platform

*This function is optional. Please consult customer service if necessary

PRODUCT STRUCTURE

X



PRODUCT PARAMETERS



HANDHELD TERMINAL

ACCESSIBLE DEVICE	1-4个ModBusEquipment combination
COMMUNICATION MODE	USB(read, see DB9 interface for detailsInformation)
DISPLAY DATA	Equipment raw data
WORKING TEMPERATURE	-20°C—50°C
WORKING HUMIDITY	<90%RHNo condensation
WORKING POWER SUPPLY	12V DC Charge, 2500mAh(standard) lithium battery
DISPLAY MODE	2.8 "LCD
COMMUNICATION PROTOCOL	ModBusSerial communication protocol
DATA STORAGE	4MBStorage space (standard)
CHARGING TIME	≤4H (Standard)
SIZE	125*65*45mm
WEIGHT	500g

THREE IN ONE SENSOR OF SOIL CONDUCTIVITY TEMPERATURE AND HUMIDITY

POWER SUPPLY	12- 24V DC
MOISTURE MEASUREMENT RANGE	0-100%
STORAGE ENVIRONMENT	-45°C- 115°C
TEMPERATURE ACCURACY	±0.5°C
TEMPERATURE MEASUREMENT RANGE	-40 ° C - 80 ° C (customizable)
MOISTURE ACCURACY	±3% in the range of 0-53%; ±5% soil within 53-100%
OUTPUT SIGNAL	RS485
INSTALLATION MODE	All embedded or probe inserted into the measured medium
CONDUCTIVITY RANGE	0-10000us/cm
CONDUCTIVITY RESOLUTION	10us/cm
RESPONSE TIME	<1s
PROTECTION LEVEL	IP68
CONSUME POWER	≤0.15W(@12V DC, 25°C)
WORKING PRESSURE RANGE	0.9-1.1atm

SOIL N, P, K SENSOR

measuring range	0-1999mg/kg
measurement accuracy	±2%F.s.
Resolving power	1mg/kg (mg/l)
working temperature	5-45°C
Working humidity	5-95% (relative humidity), no condensation
Baud rate	2400/4800/9600
Communication port	RS485
Power supply	12V-24V DC
response time (T90 seconds)	<10

SOIL PH SENSOR

DC power supply	12-24V DC
consume power	≤0.15W
measurement accuracy	±0.3pH
PH measurement range	3-9pH
Long term stability	≤5%/year
output signal	RS485output(ModbusAgreement)
working temperature	0-55°C
response speed	≤15s

Алматы (7273)495-231
 Ангарск (3955)60-70-56
 Архангельск (8182)63-90-72
 Астрахань (8512)99-46-04
 Барнаул (3852)73-04-60
 Белгород (4722)40-23-64
 Благовещенск (4162)22-76-07
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Владикавказ (8672)28-90-48
 Владимир (4922) 49-43-18
 Волгоград (844)278-03-48
 Вологда (8172)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89

Ижевск (3412)26-03-58
 Иваново (4932)77-34-06
 Иркутск (395)279-98-46
 Казань (843)206-01-48
 Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Коломна (4966)23-41-49
 Кострома (4942)77-07-48
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Курган (3522)50-90-47
 Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41
 Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Ноябрьск (3496)41-32-12
 Новосибирск (383)227-86-73
 Омск (3812)21-46-40
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16
 Петрозаводск (8142)55-98-37
 Псков (8112)59-10-37
 Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Саранск (8342)22-96-24
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78
 Севастополь (8692)22-31-93
 Симферополь (3652)67-13-56
 Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13
 Сыктывкар (8212)25-95-17
 Сургут (3462)77-98-35
 Тамбов (4752)50-40-97
 Тверь (4822)63-31-35

Тольяти (8482)63-91-07
 Томск (3822)98-41-53
 Тула (4872)33-79-87
 Тюмень (3452)66-21-18
 Улан-Удэ (3012)59-97-51
 Ульяновск (8422)24-23-59
 Уфа (347)229-48-12
 Хабаровск (4212)92-98-04
 Чебоксары (8352)28-53-07
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Чита (3022)38-34-83
 Якутск (4112)23-90-97
 Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://chaosensor.nt-rt.ru> || crx@nt-rt.ru